



Depth Gage

Depth Micrometer
SERIES 128

- Measuring rod diameter: $\varnothing 4$ mm.
- With measuring rod clamp.
Note: The clamp is unseen in the picture.
- Carbide-tipped measuring rod model is available.
- With ratchet stop for constant measuring force.

Measurement example



SPECIFICATIONS

Metric							
Code No.	Range (mm)	Graduation (mm)	Maximum permissible error J_{MPE} (μm)	Flatness of reference surface (base) (μm)	Flatness of measuring face (rod) (μm)	Parallelism between reference face and measuring rod face (μm)	Base (mm)
128-101	0 - 25	0.01	± 3	1.3	0.3	within 5	63.5 \times 16
128-103*							
128-102				2			101.6 \times 16
128-104*							

Inch							
Code No.	Range (in)	Graduation (in)	Maximum permissible error J_{MPE} (in)	Flatness of reference surface (base) (in)	Flatness of measuring face (rod) (in)	Parallelism between reference face and measuring rod face (in)	Base (in)
128-105	0 - 1	0.001	± 0.00015	0.000052	0.000012	within 0.00025	2.5 \times 0.63
128-106				0.00008			4 \times 0.63

- Standard Accessories: **301336** Spanner
- * With carbide-tipped measuring rod

DIMENSIONS

